

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------|------------------|---------|------------------|
| L3 | 26 | ("0171551" "20020107990" "20020120741" "20020124114" "20030033360" "20030105903" "20050047098" "20050063354" "0039531" "5577032" "5655120" "5692215" "6108685" "6247078" "6452809" "6505254" "6540674" "6556438" "6560606" "6583989" "6594150" "6654252" "6721794" "6742068" "6745286" "6782531").PN. | US-PGPUB; USPAT | OR | ON | 2008/06/20 14:12 |
| L4 | 0 | L3 and production adj data | US-PGPUB; USPAT | OR | ON | 2008/06/20 14:12 |
| L5 | 3 | L3 and serial adj number | US-PGPUB; USPAT | OR | ON | 2008/06/20 14:12 |
| L6 | 3 | L3 and manufacture | US-PGPUB; USPAT | OR | ON | 2008/06/20 14:13 |
| L9 | 1037 | (incorporat\$3 alias\$4 combin \$3) with device adj (address ID identifier name serial) | US-PGPUB; USPAT | OR | ON | 2008/06/20 14:19 |
| L12 | 3998 | production adj data | US-PGPUB; USPAT | OR | ON | 2008/06/20 15:07 |
| L13 | 65 | switch\$3 with (production adj data manufactur\$3 adj date) | US-PGPUB; USPAT | OR | ON | 2008/06/20 15:08 |
| L14 | 52 | 13 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 15:08 |
| L15 | 0 | fault adj manag\$5 with switch\$3 with service adj processor | US-PGPUB; USPAT | OR | ON | 2008/06/20 15:47 |
| L16 | 0 | fault adj manag\$5 with switch\$3 same service adj processor | US-PGPUB; USPAT | OR | ON | 2008/06/20 15:48 |
| L17 | 213 | fault adj manag\$5 with switch\$3 | US-PGPUB; USPAT | OR | ON | 2008/06/20 15:48 |
| L18 | 8 | fault adj manag\$5 with switch\$3 and service adj processor | US-PGPUB; USPAT | OR | ON | 2008/06/20 15:48 |

| | | | | | | |
|-----|-----|---|--------------------|----|----|---------------------|
| L19 | 8 | 18 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 15:48 |
| L23 | 213 | switch\$3 with fault adj manag\$5 | US-PGPUB; USPAT | OR | ON | 2008/06/20 17:07 |
| L24 | 61 | switch\$3 with fault adj manag\$5 with service | US-PGPUB; USPAT | OR | ON | 2008/06/20 17:07 |
| L25 | 0 | switch\$3 with fault adj manag\$5 with service same filter | US-PGPUB; USPAT | OR | ON | 2008/06/20 17:08 |
| L27 | 55 | 24 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 17:08 |
| L28 | 4 | switch\$3 and service adj processor with (P20 "peer to peer" peer\$1to\$1peer) | US-PGPUB; USPAT | OR | ON | 2008/06/20 17:56 |
| L29 | 4 | 28 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 17:56 |
| S1 | 26 | ("0171551" "20020107990" "20020120741" "20020124114" "20030033360" "20030105903" "20050047098" "20050063354" "0039531" "5577032" "5655120" "5692215" "6108685" "6247078" "6452809" "6505254" "6540674" "6556438" "6560606" "6583989" "6594150" "6654252" "6721794" "6742068" "6745286" "6782531").FN. | US-PGPUB; USPAT | OR | ON | 2008/04/13 09:03 |
| S2 | 491 | ((JAMES) near2 (KING)). INV. | USPAT | OR | ON | 2008/04/13 09:15 |
| S3 | 32 | Blade adj server with server adj farm | US-PGPUB; USPAT | OR | ON | 2008/04/13 11:53 |
| S5 | 10 | S3 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/04/13 11:55 |
| S6 | 48 | Blade adj server with IBM | US-PGPUB; USPAT | OR | ON | 2008/04/13 12:03 |
| S7 | 4 | S6 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/04/13 12:03 |
| S8 | 47 | Blade adj server with process \$3 near5 servic\$3 | US-PGPUB; USPAT | OR | ON | 2008/04/13 12:11 |
| S9 | 33 | S8 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/04/13 12:12 |

| | | | | | | |
|-----|-----|---|------------------------------|----|----|---------------------|
| S10 | 5 | ("20020004912" "5331509" "6166902" "6580616" "6661671").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/14 15:46 |
| S11 | 30 | ("20020124114" "20030033364" "20030033365" "20030033399" "20030033459" "20030033460" "20030051167" "20040225816" "5313699" "5628637" "5971804" "6044476" "6088816" "6112271" "6145102" "6247078" "6260155" "6325636" "6452809" "6462670" "6525926" "6556438" "6583989" "6594150" "6654252" "6742068" "6826456" "6934786" "6950895" "7103654").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/14 15:50 |
| S12 | 14 | ("20020124114" "20030158933" "20040028073" "20040153700" "20040158766" "6247078" "6452809" "6556438" "6583989" "6594150" "6654252" "6742068" "6813150" "6871300").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/14 15:50 |
| S13 | 17 | ("20030108018" "4975831" "6192034" "6317837" "6360338" "6411506" "6424523" "6449221" "6581166" "6594150" "6684343" "6711134" "6763018" "6944019" "6950895" "7032037" "7103654").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/14 15:54 |
| S14 | 1 | switch\$3 with service adj process\$3 with fault adj (manag\$5 messag\$3 operat \$3) | US-PGPUB; USPAT | OR | ON | 2008/05/27 09:17 |
| S15 | 1 | "20050071625".did. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/20 07:31 |
| S16 | 319 | Almeida.inv. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/20 07:38 |

| | | | | | | |
|-----|----|---|------------------------------|----|----|---------------------|
| S17 | 0 | Almeida.inv. and IBM.as. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/20 07:39 |
| S18 | 80 | Almeida.inv. and switch\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/20 07:39 |
| S19 | 4 | switch\$3 with service adj processor with (DHCP "dynamic host configuration protocol") | US-PGPUB; USPAT | OR | ON | 2008/06/20 07:57 |
| S20 | 4 | S19 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 07:57 |
| S21 | 26 | ("0171551" "20020107990" "20020120741" "20020124114" "20030033360" "20030105903" "20050047098" "20050063354" "0039531" "5577032" "5655120" "5692215" "6108685" "6247078" "6452809" "6505254" "6540674" "6556438" "6560606" "6583989" "6594150" "6654252" "6721794" "6742068" "6745286" "6782531").PN. | US-PGPUB; USPAT | OR | ON | 2008/06/20 08:25 |
| S22 | 0 | S21 and unique adj identifier | US-PGPUB; USPAT | OR | ON | 2008/06/20 08:25 |
| S23 | 8 | S21 and unique | US-PGPUB; USPAT | OR | ON | 2008/06/20 08:26 |
| S24 | 9 | S21 and identifier | US-PGPUB; USPAT | OR | ON | 2008/06/20 08:29 |
| S25 | 0 | switch\$3 with service adj processor with unique adj (addresses identifier) | US-PGPUB; USPAT | OR | ON | 2008/06/20 08:33 |
| S26 | 0 | switch\$3 with service adj processor same unique adj (addresses identifier) | US-PGPUB; USPAT | OR | ON | 2008/06/20 08:34 |
| S27 | 13 | service adj processor with unique adj (addresses identifier) | US-PGPUB; USPAT | OR | ON | 2008/06/20 08:35 |
| S28 | 3 | service adj processor with unique adj (addresses identifier) and switch\$3 | US-PGPUB; USPAT | OR | ON | 2008/06/20 08:35 |

| | | | | | | |
|-----|-----|---|-----------------|----|----|------------------|
| S29 | 0 | switch\$3 with service adj processor with (master \$1slave) near\$3 relation\$4 | US-PGPUB; USPAT | OR | ON | 2008/06/20 09:31 |
| S30 | 0 | switch\$3 with service adj processor with (master \$1slave) | US-PGPUB; USPAT | OR | ON | 2008/06/20 09:31 |
| S31 | 22 | switch\$3 with service adj processor with (master slave) | US-PGPUB; USPAT | OR | ON | 2008/06/20 09:31 |
| S32 | 10 | S31 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 09:31 |
| S33 | 0 | switch\$3 with service adj processor with fault adj tolerant | US-PGPUB; USPAT | OR | ON | 2008/06/20 09:33 |
| S34 | 0 | switch\$3 with service adj processor with fault adj toleran\$3 | US-PGPUB; USPAT | OR | ON | 2008/06/20 09:34 |
| S35 | 896 | (creat\$3 mdifying combin\$3 mask\$3) with (two couple plurality) adj (ID address nam\$3 namespace) | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:02 |
| S36 | 980 | (creat\$3 mdifying incorporat \$3 combin\$3 mask\$3) with (two couple plurality) adj (ID address nam\$3 namespace) | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:02 |
| S37 | 608 | (incorporat\$3 combin\$3 mask\$3) with (two couple plurality) adj (ID address nam\$3 namespace) | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:03 |
| S38 | 0 | ((incorporat\$3 combin\$3 mask\$3) with (two couple plurality) adj (ID address nam\$3 namespace)) with (switch\$3 with service adj processor) | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:04 |
| S39 | 0 | (incorporat\$3 combin\$3 mask\$3) with (two couple plurality) adj (ID address nam\$3 namespace) with (switch\$3 with service adj processor) | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:04 |
| S40 | 26 | (incorporat\$3 combin\$3 mask\$3) with (two couple plurality) adj (ID address nam\$3 namespace) with switch\$3 | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:04 |

| | | | | | | |
|-----|-------|---|--------------------|----|----|---------------------|
| S41 | 21 | S40 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:04 |
| S42 | 21854 | (address ID identifier) with (mask\$3 tunnel\$4) | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:14 |
| S43 | 17 | (multiple plurality addresses) with (alias\$4 hid \$3 mask\$3) with (single one) adj (ID identity identifier) | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:17 |
| S44 | 14 | S43 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:17 |
| S45 | 0 | production adj data with production adj time with serial adj number | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:31 |
| S46 | 17 | production adj data and production adj time and serial adj number | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:32 |
| S47 | 13 | S46 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:32 |
| S48 | 10 | production adj data and manufactur\$3 adj date and serial adj number | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:35 |
| S49 | 9 | S48 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:35 |
| S50 | 2 | asset adj manage\$4 with production adj data | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:39 |
| S51 | 1 | (equipment device peripherals) adj manage\$4 with production adj data | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:40 |
| S52 | 887 | (recording stor\$3 log\$3 retriev\$3) with production adj data | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:42 |
| S53 | 1 | electronic\$4 adj (recording stor\$3 log\$3 retriev\$3) with production adj data | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:43 |
| S54 | 110 | alias\$4 with device adj (address ID identifier name serial) | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:51 |
| S55 | 77 | S54 and (@rlad<"20040209" @ad<"20040209") | US-PGPUB; USPAT | OR | ON | 2008/06/20 10:51 |
| S56 | 0 | production adj data with alias adj info\$7 | US-PGPUB; USPAT | OR | ON | 2008/06/20 11:26 |

| | | | | | | |
|-----|---|---|--------------------|----|----|---------------------|
| S57 | 0 | production adj data with alias adj (name address identity identifier) | US-PGPUB; USPAT | OR | ON | 2008/06/20 11:27 |
|-----|---|---|--------------------|----|----|---------------------|

6/20/2008 9:04:30 PM

C:\Documents and Settings\THussain1\My Documents\EAST\Workspaces\10744755.wsp